

PVL 39

PVL 39 - Key Features




Compact Mesh Technology

Our screens collapse from 9 meters to 2 inches, saving a lot of space



Large Dimensions

PVL screens go as wide as 9 meters (29.5 feet) to 4 meters (13.1 feet)




Double Coated Mesh

Our soft screens can easily withstand strong-wind pressure without losing shape.



High Tensile Strength

Our wires are 5 times stronger than common wires and don't break easily under pressure.



One-finger operation.

Our slide stability rollers helps you operate the screen from any height, with just one-finger.




Uno

PERFECT FOR:

Casement, Doors & Windows, Sliding Windows & Doors, Sliding Folding Doors and Tilt & Turn Windows

MAXIMUM SIZE LIMIT WITH MESH OVERLAP WIDTH 3,000 mm HEIGHT 4,000 mm WITHOUT MESH OVERLAP WITHOUT MESH OVERLAP HIGHT 4,000 mm 3,500 mm

Note: Max. Height and Width will be determined by the Height-Width Ratio





Proxima

PERFECT FOR:

Sliding Windows & Doors, Sliding Folding Doors, Tilt & Turn Windows and Lift & Slide Doors

MAXIMUM SIZE LIMIT

WITH MESH OVERLAP WITHOUT MESH OVERLAP


WIDTH WIDTH

6,000 mm 8,000 mm

HEIGHT HEIGHT

4,000 mm 3,000 mm

Note: Max. Height and Width will be determined by the Height-Width Ratio





PVL 39

Centra

PERFECT FOR:

Sliding Windows & Doors

MAXIMUM SIZE LIMIT

WITH MESH OVERLAP WITHOUT MESH OVERLAP


WIDTH WIDTH

3,000 mm 3,500 mm

HEIGHT HEIGHT

4,000 mm 3,000 mm

Note: Max. Height and Width will be determined by the Height-Width Ratio





PVL 39

Double Centra

PERFECT FOR:

Wide Sliding Windows & Doors

MAXIMUM SIZE LIMIT

WITH MESH OVERLAP WITHOUT MESH OVERLAP

WIDTH WIDTH


4,000 mm

6,000 mm 8,000 mm

HEIGHT HEIGHT

Note: Max. Height and Width will be determined by the Height-Width Ratio

3,000 mm





Corner

PERFECT FOR:

Terraces & balconies

MAXIMUM SIZE LIMIT WITH MESH OVERLAP WIDTH 3,000 mm WIDTH 3,500 mm HEIGHT HEIGHT

Note: Max. Height and Width will be determined by the Height-Width Ratio

3,000 mm

SECTIONAL AND INSTALLATION DETAILS

4,000 mm

