# PVL 29

PVL 29 - Key Features

Large Dimensions

PVL screens go as wide as 8 meters (26.2 feet) to 4 meters (13.1 feet)

Double Coated Mesh

Our soft screens can easily withstand strong-wind pressure without losing shape.

High Tensile Strength

Our wires are 5 times stronger than common wires and don't break easily under pressure.

One-finger operation.

Our slide stability rollers helps you operate the screen from any height, with just one-finger.

PVL 29

Uno

PERFECT FOR:

Casement, Doors & Windows, Sliding
Windows & Doors, Sliding Folding Doors
and Tilt & Turn Windows

MAXIMUM SIZE LIMIT

WITH MESH OVERLAP	WITHOUT MESH OVERLAP
WIDTH 2,000 mm	**WIDTH** 3,000 mm
HEIGHT 4,000 mm	**HEIGHT** 3,150 mm

Note: Max. Height and Width will be determined by the Height-Width Ratio

SECTIONAL AND INSTALLATION DETAILS

TOP TRACK-40,60MM

HANDLE
PROFILE

SIDE
SECTION

SIDE
SECTION

H

ELEVATION

BOTTOM TRACK-40,25MM

SECTION

30
40
25
30

33 30
26
45
26
30 33

W

PLAN

PVL 29

Proxima

PERFECT FOR:

Sliding Windows & Doors, Sliding Folding Doors, Tilt & Turn Windows and Lift & Slide Doors

MAXIMUM SIZE LIMIT

| WITH MESH OVERLAP	WITHOUT MESH OVERLAP
WIDTH	**WIDTH**
3,500 mm	8,000 mm
HEIGHT	**HEIGHT**
4,000 mm	3,150 mm

Note: Max. Height and Width will be determined by the Height-Width Ratio

SECTIONAL AND INSTALLATION DETAILS

TOP TRACK-40,60MM

HANDLE PROFILE

SIDE SECTION

SIDE SECTION

ELEVATION

BOTTOM TRACK-40,25MM

30

40

H

25

30

SECTION

33 30

30 33

26

45

45

26

W

PLAN

PVL 29

Centra

PERFECT FOR:

Sliding Windows & Doors

MAXIMUM SIZE LIMIT

| WITH MESH OVERLAP	WITHOUT MESH OVERLAP
WIDTH 2,000 mm	**WIDTH** 3,000 mm
HEIGHT 4,000 mm	**HEIGHT** 3,150 mm

Note: Max. Height and Width will be determined by the Height-Width Ratio

SECTIONAL AND INSTALLATION DETAILS

TOP TRACK-40,60MM

HANDLE PROFILE

SIDE SECTION

SIDE SECTION

ELEVATION

BOTTOM TRACK-40,25MM

30

40

H

25

30

SECTION

33 30

30 33

26

45

45

26

W

PLAN

PVL 29

Double Centra

PERFECT FOR:

Wide Sliding Windows & Doors

MAXIMUM SIZE LIMIT

| WITH MESH OVERLAP	WITHOUT MESH OVERLAP
WIDTH	WIDTH
3,500 mm	8,000 mm
HEIGHT	HEIGHT
4,000 mm	3,150 mm

Note: Max. Height and Width will be determined by the Height-Width Ratio

SECTIONAL AND INSTALLATION DETAILS

TOP TRACK-40,60MM

HANDLE PROFILE

HANDLE PROFILE

SIDE SECTION

SIDE SECTION

ELEVATION

BOTTOM TRACK-40,25MM

H

30

40

25

30

SECTION

33 30

26

45

W

45

26

30 33

PLAN

PVL 29

Corner

PERFECT FOR:

Terraces & balconies

MAXIMUM SIZE LIMIT

| WITH MESH OVERLAP	WITHOUT MESH OVERLAP
WIDTH 2,000 mm	**WIDTH** 3,000 mm
HEIGHT 4,000 mm	**HEIGHT** 3,150 mm

Note: Max. Height and Width will be determined by the Height-Width Ratio

SECTIONAL AND INSTALLATION DETAILS

TOP TRACK-40,60MM
HANDLE PROFILE
SIDE SECTION
ELEVATION-A
BOTTOM TRACK-60,40,25MM

TOP TRACK-40,60MM
HANDLE PROFILE
SIDE SECTION
ELEVATION-B
BOTTOM TRACK-60,40,25MM

24
21
32
H
25
21
24
SECTION

32
26
W PLAN-B
67
32
26
67
W
PLAN-A